



Proudly Made in the U.S.A.



Photos of systems are NOT to scale

Category	NVR Server	NVR Server	SFF NVR Server		SFF NVR Server	
	Stream Line	Stream Line	Reliance 1		Reliance 2	
AGS Model	SL4-A1	SL-SA	SD06-1	SD12-1	SD12-2	SD25-2
Product ID	SL4-A1	SL-SA	SD06-1-X	SD12-1-X	SD12-2-X	SD25-2-X
Base Part Number	AGS-SL4-A1	AGS-SL-SA	AGS-SD06-1-X	AGS-SD12-1-X	AGS-SD12-2-X	AGS-SD25-2-X
Throughput	30Mbps	30Mbps	6 Mbps	12 Mbps	12 Mbps	25 Mbps
Chassis Type	L Shape w/ Monitor	Mid-Tower	Small Form Factor		Small Form Factor	
Power Supplies	380W	380W	160W		250W	
Dimensions	15"W x 10"D x Adj H	16.6"H x 7.8"W x 16.5"D	10.4"H x 4.4"W x 9.1"D		7.48"H x 8.46"W x 12.80"D	
Motherboard	Intel i5 Series	Intel i5 Series	Intel i5 Series		Intel i5 Series	
Processor (socket)	Intel Core i5 (1156)	Intel Core i5 (1156)	Intel Core i5 (1156)		Intel Core i5 (1156)	
Cores/HT- Core Ghz	2C/4T - 3.2Ghz	2C/4T - 3.2Ghz	2C/4T - 3.2Ghz	2C/4T - 3.6Ghz	2C/4T - 3.2Ghz	2C/4T - 3.6Ghz
Memory	2GB (16GB max)	2GB (16GB max)	2GB (8GB max)	4GB (8GB max)	2GB (8GB max)	4GB (8GB max)
Memory Type	non-ECC	non-ECC	non-ECC		non-ECC	
USB Ports	6 rear - 2 front	6 rear - 2 front	6 rear - 2 front		6 rear - 2 front	
Ethernet NIC	1x 10/100/1000	1x 10/100/1000	1x 10/100/1000		1x 10/100/1000 W/Opt Second	
Onboard Graphics	Intel Graphics Technology	Intel Graphics Technology	Intel Graphics Technology		Intel Graphics Technology	
Graphics Ports	DVI-I / DVI-D / HDMI	DVI-I / DVI-D / HDMI	DVI-I / HDMI		DVI-I / HDMI	
Graphics Cards	GT 240 DVI-I	GT 240 DVI-I	N/A		N/A	
Audio	5.1 Channel	5.1 Channel	7.1 Channel		7.1 Channel	
Serial Port	1 internal optional	1 internal optional	1 internal optional		1 internal optional	
Management	Intel AMT vPro	Intel AMT vPro	WfM		WfM	
O/S Drive	2TB 3.5"	2TB 3.5"	1 or 2 TB 3.5"		1 or 2 TB 3.5"	
Max Storage	Shared O/S	Shared O/S	Shared O/S		4 TB 3.5" SATA	
Hot Swap Bay	N/A	N/A	N/A		N/A	
RAID	N/A	N/A	N/A		1	
DVD/RW	Included	Included	Included		Included	
Monitor	Included	Optional	Optional		Optional	
Keyboard/Mouse	Included	Optional	Included		Included	
Warranty	Four-year limited	Four-year limited	Four-year limited		Four-year limited	
Pre-installed O/S	Vista Business or Win 7 Pro	Vista Business or Win 7 Pro	Vista Business or Win 7 Pro		Vista Business or Win 7 Pro	
VMS Pre-installed	Optional Free Installation	Optional Free Installation	Optional Free Installation		Optional Free Installation	





Proudly Made in the U.S.A.



Photos of systems are NOT to scale

Category	1U NVR Server	1U NVR Server	1U NVR Server		
AGS Model	Reliance 2-1U	Reliance 3-1U		Reliance 4-1U	
Product ID	SD50-02-1U	HD100-03-1U	SD50-04-1U	HD100-04-1U	HD250-04-1U
Base Part Number	AGS-SD5X-020Y-RN	AGS-HD10X-030Y-RZ	AGS-SD5X-040Y-RZ	AGS-SD10X-040Y-RZ	AGS-SD25X-040Y-RZ
Throughput	50 Mbps	100 Mbps	50 Mbps	100 Mbps	250 Mbps
Chassis Type	Intel 1U Rack Mount	Intel 1U Rack Mount	Intel Certified 1U Rack Mount		
Power Supplies	350W	350W	500W		
Dimensions	1.70"H x 16.9"W x 20"D	1.70"H x 16.9"W x 25.51"D	1.75"(H) x 19"(W) x 28"(D)		
Motherboard	Intel Xeon 3400 Series	Intel Xeon 3400 Series	Intel i5 Series	Intel Xeon 3400 Series	Intel Xeon 5600 Series
Processor (socket)	Intel Dual Core (1156)	Intel Quad Xeon (1156)	Intel Core i5 (1156)	Intel Quad Xeon (1156)	Dual Quad Xeon (1366)
Cores/HT- Core Ghz	2C/2T – 2.8Ghz	4C/8T – 2.8Ghz	2C/4T – 3.6Ghz	4C/8T – 2.8Ghz	4C/8T – 2.4Ghz
Memory	2GB (32GB max)	4GB (32GB max)	4GB (16GB max)	4GB (32GB max)	6GB (192GB max)
Memory Type	non-ECC	ECC	non-ECC	ECC	Reg ECC
USB Ports	4 rear - 1 front	4 rear - 1 front	6 rear - 2 front	4 rear - 2 front	
Ethernet NIC	2x 10/100/1000	2x 10/100/1000	1x 10/100/1000	2x 10/100/1000	
Onboard Graphics	Integrated 8MB	Integrated 8MB	Intel Graphics Technology	Integrated 8MB	
Graphics Ports	VGA	VGA	DVI-I / DVI-D / HDMI	VGA	
Graphics Cards	N/A	N/A	N/A		
Audio	N/A	N/A	5.1 Channel	N/A	
Serial Port	1 rear - 1 front	1 rear - 1 front	1 internal optional	1 rear - 1 front	
Management	IPMI 2.0	IPMI 2.0	Intel AMT vPro	IPMI 2.0	
O/S Drive	3.5"	3.5"	2.5" 40GB SSD internal		
Max Storage	4TB	6TB	8TB		
Hot Swap Bay	N/A	3	4		
RAID	0, 1	0, 1, 5	0, 1, 5, 6 + Hot Spare		
DVD/RW	Included	Included	Included		
Monitor	N/A	N/A	N/A		
Keyboard/Mouse	N/A	N/A	N/A		
Warranty	Four-year limited	Four-year limited	Four-year limited		
Pre-installed O/S	Vista Business or Win 7 Pro	Vista Business or Win 7 Pro	Vista Business or Win 7 Pro		Win Server 2008
VMS Pre-installed	Optional Free Installation	Optional Free Installation	Optional Free Installation		



AVIGILON
THE BEST EVIDENCE™



SONY



Advanced Certified Partner



by Schneider Electric



DigitalSENTRY®



LINKSYS®
A Division of Cisco Systems, Inc.





Proudly Made in the U.S.A.



Photos of systems are NOT to scale

Category	Tower/RM NVR Server			2U NVR Server	
AGS Model	Reliance 6 Tower / 6U RM			Reliance 8-2U	
Product ID	SD50-06	HD100-06	HD250-06	HD100-08	HD250-08
Base Part Number	AGS-SD5X-060Y-RZ	AGS-HD10X-060Y-RZ	AGS-HD25X-060Y-RZ	AGS-HD10X-080Y-RZ	AGS-HD25X-080Y-RZ
Throughput	50 Mbps	100 Mbps	250 Mbps	100 Mbps	250 Mbps
Chassis Type	Intel 6 Storage Drive Tower/RM Chassis			Intel Certified 2U Rack Mount	
Power Supplies	400W	400W	600W w/opt Redundant	600W 1+1 Hot Swap Redundant	
Dimensions	17.8"H x 9.26"W x 19"D			3.5"H x 19"W x 28"D	
Motherboard	Intel i5 Series	Intel Xeon 3400 Series	Intel Xeon 5600 Series	Intel Xeon 3400 Series	Intel Xeon 5600 Series
Processor (socket)	Intel Core i5 (1156)	Intel Quad Xeon (1156)	Dual Quad Xeon (1366)	Intel Quad Xeon (1156)	Dual Quad Xeon (1366)
Cores/HT- Core Ghz	2C/4T – 3.6Ghz	4C/8T – 2.8Ghz	4C/8T – 2.4Ghz	4C/8T – 2.8Ghz	4C/8T – 2.4Ghz
Memory	4GB (16GB max)	4GB (32GB max)	6GB (192GB max)	4GB (32GB max)	6GB (192GB max)
Memory Type	non-ECC	ECC	Reg ECC	ECC	Reg ECC
USB Ports	6 rear - 2 front	4 rear - 2 front		4 rear - 2 front	
Ethernet NIC	1x 10/100/1000	2x 10/100/1000		2x 10/100/1000	
Onboard Graphics	Intel Graphics Technology	Integrated 8MB		Integrated 8MB	
Graphics Ports	DVI-I / DVI-D / HDMI	VGA		VGA	
Graphics Cards	Optional			Optional	
Audio	5.1 Channel	N/A		N/A	
Serial Port	1 internal optional	1 rear - 1 front		1 rear - 1 front	
Management	Intel AMT vPro	IPMI 2.0		IPMI 2.0	
O/S Drive	3.5" 250GB Enterprise internal w/optional RAID1			2.5" 40GB SSD internal w/ opt. RAID1	
Max Storage	12TB			16TB	
Hot Swap Bay	6			8	
RAID	0, 1, 5, 6 + Hot Spare			0, 1, 5, 6 + Hot Spare	
DVD/RW	Included			Included	
Monitor	Optional			N/A	
Keyboard/Mouse	Included			N/A	
Warranty	Four-year limited			Four-year limited	
Pre-installed O/S	Vista Business or Win 7 Pro	Vista or 7 opt Svr 2008	Win Server 2008	Vista or 7 opt Svr 2008	Win Server 2008
VMS Pre-installed	Optional Free Installation			Optional Free Installation	





Proudly Made in the U.S.A.



Photos of systems are NOT to scale

Category	Tower/RM NVR Server			3U NVR Server	
AGS Model	Reliance 10 Tower / 5U RM			Reliance 16 3U	
Product ID	SD50-10	HD100-10	HD250-10	HD100-16	HD250-16
Base Part Number	AGS-SD5X-10YY-RZ	AGS-HD10X-10YY-RZ	AGS-HD25X-10YY-RZ	AGS-HD10X-16YY-RZ	AGS-HD25X-16YY-RZ
Throughput	50 Mbps	100 Mbps	250 Mbps	100 Mbps	250 Mbps
Chassis Type	Intel 10 Storage Drive Tower/RM Chassis			Intel Certified 3U Rack Mount	
Power Supplies	670W	670W	750W Redundant	650W 2+1 Hot Swap Redundant	
Dimensions	17"H x 8.6"W x 28.4"D			5.4"H x 19"W x 28"D	
Motherboard	Intel i5 Series	Intel Xeon 3400 Series	Intel Xeon 5600 Series	Intel Xeon 3400 Series	Intel Xeon 5600 Series
Processor (socket)	Intel Core i5 (1156)	Intel Quad Xeon (1156)	Dual Quad Xeon (1366)	Intel Quad Xeon (1156)	Dual Quad Xeon (1366)
Cores/HT- Core Ghz	2C/4T – 3.6Ghz	4C/8T – 2.8Ghz	4C/8T – 2.4Ghz	4C/8T – 2.8Ghz	4C/8T – 2.4Ghz
Memory	4GB (16GB max)	4GB (32GB max)	6GB (192GB max)	4GB (32GB max)	6GB (192GB max)
Memory Type	non-ECC	ECC	Reg ECC	ECC	Reg ECC
USB Ports	6 rear - 2 front	4 rear - 2 front		4 rear - 2 front	
Ethernet NIC	1x 10/100/1000	2x 10/100/1000		2x 10/100/1000	
Onboard Graphics	Intel Graphics Technology	Integrated 8MB		Integrated 8MB	
Graphics Ports	DVI-I / DVI-D / HDMI	VGA		VGA	
Graphics Cards	Optional	Optional		Optional	
Audio	5.1 Channel	N/A		N/A	
Serial Port	1 internal optional	1 rear - 1 front		1 rear - 1 front	
Management	Intel AMT vPro	IPMI 2.0		IPMI 2.0	
O/S Drive	3.5" 250GB Enterprise internal w/optional RAID1			2.5" 40GB SSD internal w/ opt. RAID1	
Max Storage	20TB			32TB	
Hot Swap Bay	10			16	
RAID	0, 1, 5, 6 + Hot Spare			0, 1, 5, 6 + Hot Spare	
DVD/RW	Included			Included	
Monitor	Optional			N/A	
Keyboard/Mouse	Included			N/A	
Warranty	Four-year limited			Four-year limited	
Pre-installed O/S	Vista Business or Win 7 Pro	Vista or 7 opt Svr 2008	Win Server 2008	Vista or 7 opt Svr 2008	Win Server 2008
VMS Pre-installed	Optional Free Installation			Optional Free Installation	





Proudly Made in the U.S.A.



VAU 100



VAU 50

Photos of systems are NOT to scale

Category	5U NVR Server		DS DMS Tower/RM	DS VAU Server	
AGS Model	Reliance 24-5U		Reliance DMS	Reliance VAU	
Product ID	HD100-24-5U	HD250-24-5U	HD250-DMS	HD50-VAU	HD100-VAU
Base Part Number	AGS-HD10X-24YY-RZ	AGS-HD25X-24YY-RZ	AGS-HD250-DMS	AGS-HD50-VAU	AGS-HD100-VAU
Throughput	100 Mbps	250 Mbps	250 Mbps	50 Mbps	100 Mbps
Chassis Type	Intel Certified 5U Rack Mount		Intel Tower/RM	Intel 1U RM	
Power Supplies	950W 2+1 Hot Swap Redundant		600W w/ Redundant PS	350W	450W 1+1 Redundant
Dimensions	8.25"H x 19"W x 28"D		17.8"H x 9.26"W x 19"D	1.67"H x 16.93"W x 20"D	1.69"H x 17.76"W x 26.42"D
Motherboard	Intel Xeon 3400 Series	Intel Xeon 5600 Series	Intel Xeon 5600 Series	Intel Xeon 3400 Series	Intel Xeon 5600 Series
Processor (socket)	Intel Quad Xeon (1156)	Dual Quad Xeon (1366)	Dual Quad Xeon (1366)	Intel Quad Xeon (1156)	Dual Quad Xeon (1366)
Cores/HT- Core Ghz	4C/8T - 2.8Ghz	4C/8T - 2.4Ghz	4C/8T - 2.4Ghz	4C/8T - 2.8Ghz	4C/8T - 2.4Ghz
Memory	4GB (32GB max)	6GB (192GB max)	4GB (192GB max)	4GB (32GB max)	4GB (192GB max)
Memory Type	ECC	Reg ECC	Reg ECC	ECC	Reg ECC
USB Ports	4 rear - 2 front		4 rear - 2 front	4 rear - 1 front	4 rear - 2 front
Ethernet NIC	2x 10/100/1000		2x 10/100/1000	2x 10/100/1000	
Onboard Graphics	Integrated 8MB		Integrated 8MB	Integrated 8MB	Matrox G200 8MB
Graphics Ports	VGA		VGA	VGA	
Graphics Cards	Optional		N/A	N/A	
Audio	N/A		N/A	N/A	
Serial Port	1 rear - 1 front		1 rear	1 rear	N/A
Management	IPMI 2.0		IPMI 2.0	IPMI 2.0	
O/S Drive	2.5" 40GB SSD internal w/ opt. RAID1		3.5" Enterprise	3.5" Enterprise	
Max Storage	48TB		Ext SAS & FC	6TB	8TB
Hot Swap Bay	24		N/A	3	4
RAID	0, 1, 5, 6 + Hot Spare		1, 5	1, 5 + Hot Spare	
DVD/RW	Included		Included	Included	
Monitor	N/A		Optional	N/A	
Keyboard/Mouse	N/A		Included	N/A	
Warranty	Four-year limited		Four-year limited	Four-year limited	
Pre-installed O/S	Vista or 7 opt Svr 2008	Win Server 2008	Win Server 2008	Win Server 2008	Win Server 2008
VMS Pre-installed	Optional Free Installation		Optional Free Installation	Optional Free Installation	





Proudly Made in the U.S.A.



Photos of systems are NOT to scale

Category	Workstation	Workstation	Workstation	Workstation	Workstation
AGS Model	Mirador SO	Mirador SB	Mirador MB	Mirador ME	Mirador LE
Product ID	WSSO	WSSB	WSMB	WSME	WSLE
Base Part Number	AGS-WSSO	AGS-WSSB	AGS-WSMB	AGS-WSME	AGS-WSLE
Camera Views	8	16	32	48	64
Chassis Type	Tower	Tower	Intel Tower/RM Chassis	Tower	Intel Tower/RM Chassis
Power Supplies	380W	430W	600W	850W	1000W
Dimensions	16.6"H x 7.8"W x 16.5"D	18"H x 8.1"W x 18.3"D	17.8"H x 9.26"W x 19"D	18"H x 8.1"W x 18.3"D	17.8"H x 9.26"W x 19"D
Motherboard	Intel i5 Series	Intel i5 Series	Intel Xeon 3400 Series	Intel i7 Series	Intel Xeon 5600 Series
Processor (socket)	Intel Core i5 (1156)	Intel Core i5 (1156)	Intel Quad Xeon (1156)	Intel Core i7 (1366)	Dual Quad Xeon (1366)
Cores/HT – Speed	2C/4T – 3.2 Ghz	4C/4T – 2.8 Ghz	4C/8T – 2.8 Ghz	4C/8T – 3 Ghz	8C/16T – 2.4Ghz
Memory	2GB DDR3 (8GB max)	4GB DDR3 (8GB max)	4GB DDR3 (32GB max)	4GB DDR3 (16GB max)	4GB DDR3 (192GB max)
Memory Type	non-ECC	non-ECC	ECC	non-ECC	Reg ECC
USB Ports	6 rear - 2 front	6 rear - 2 front	4 rear - 2 front	8 rear - 2 front	4 rear - 2 front
Ethernet NIC	1x 10/100/1000	1x 10/100/1000	2x 10/100/1000	1x 10/100/1000	2x 10/100/1000
Onboard Graphics	Intel Graphics Tech.	Intel Graphics Tech.	Integrated 8MB	N/A	N/A
Graphics Ports	DVI-I / DVI-D / HDMI	DVI-I / DVI-D / HDMI	VGA	N/A	N/A
Graphics Cards	N/A	GT 240 DVI-I (1)	GT465 Dual DVI-I (2)	GT465 Two Dual DVI-I (4)	GT465 Two Dual DVI-I (4)
Audio	5.1 Channel	5.1 Channel	N/A	7.1 Channel	7.1 Channel
Serial Port	1 internal optional	1 internal optional	1 rear	Optional	Optional
Management	Intel AMT vPro	Intel AMT vPro	IPMI 2.0	WfM	IPMI 2.0
O/S Drive	250 GB 3.5"	250 GB 3.5"	250 GB 3.5"	250 GB 3.5"	250 GB 3.5"
RAID	0, 1	0, 1	0, 1	0, 1	0, 1
DVD/RW	Included	Included	Included	Included	Included
Monitor	Optional	Optional	Optional	Optional	Optional
Keyboard/Mouse	Included	Included	Included	Included	Included
Warranty	Four-year limited	Four-year limited	Four-year limited	Four-year limited	Four-year limited
Pre-installed O/S	Vista Business or Win 7 Pro	Vista Business or Win 7 Pro	Vista Business or Win 7 Pro	Vista Business or Win 7 Pro	Vista Business or Win 7 Pro
Viewing Client	Optional Free Installation	Optional Free Installation	Optional Free Installation	Optional Free Installation	Optional Free Installation





Proudly Made in the U.S.A.



Photos of systems are NOT to scale



Category	Video Matrix Reliance NSS	Video Matrix Reliance NSC	Video Matrix Reliance NSV	Hybrid Reliance HB-2
AGS Model	Reliance NSS	Reliance NSC	Reliance NSV	Reliance HB-2
Product ID	NSS	NSC	NSV	HB-2
Base Part Number	AGS-NSS	AGS-NSC	AGS-NSV	AGS-HB-2
Throughput	50 Mbps	16 Camera Views	48 Camera Views	50 Mbps
Chassis Type	Intel 1U Rack Mount	Tower	4U Rackmount	Desktop
Power Supplies	350W	430W	850W	380W
Dimensions	1.70"H x 16.9"W x 20"D	18"H x 8.1"W x 18.3"D	7"(H) x 19"(W) x 20"(D)	5.5"H x 17.5"W x 16.3"D
Motherboard	Intel Xeon 3400 Series	Intel i5 Series	Intel i7 Series	Intel i5 Series
Processor (socket)	Intel Dual Core (1156)	Intel Core i5 (1156)	Intel Core i7 (1366)	Intel Core i5 (1156)
Cores/HT- Core Ghz	2C/2T – 2.8Ghz	4C/4T – 2.8 Ghz	4C/8T – 3 Ghz	2C/4T – 3.6Ghz
Memory	4GB (32GB max)	4GB DDR3 (8GB max)	4GB DDR3 (16GB max)	2GB (16GB max)
Memory Type	non-ECC	non-ECC	non-ECC	non-ECC
USB Ports	4 rear - 1 front	6 rear - 2 front	8 rear	6 rear - 2 front
Ethernet NIC	2x 10/100/1000	1x 10/100/1000	1x 10/100/1000	1x 10/100/1000
Onboard Graphics	Integrated 8MB	Intel Graphics Technology	N/A	Intel Graphics Technology
Graphics Ports	VGA	DVI-I / DVI-D / HDMI	N/A	DVI-I / DVI-D / HDMI
Graphics Cards	N/A	GT 240 DVI-I (1)	GT465 Two Dual DVI-I (4)	Optional
Audio	N/A	5.1 Channel	7.1 Channel	5.1 Channel
Serial Port	1 rear - 1 front	1 internal optional	Optional	1 internal optional
Management	IPMI 2.0	Intel AMT vPro	WfM	Intel AMT vPro
O/S Drive	250 GB 3.5"	250 GB 3.5"	250 GB 3.5"	Shared O/S
Max Storage	N/A	N/A	N/A	4TB
Hot Swap Bay	N/A	Optional	Optional	N/A
RAID	0, 1	0, 1	0, 1	0, 1
DVD/RW	Included	Included	Included	Included
Monitor	N/A	Optional	Optional	Optional
Keyboard/Mouse	N/A	Included	Optional	Included
Warranty	Four-year limited	Four-year limited	Four-year limited	Four-year limited
Pre-installed O/S	Win Server 2008	Vista Business or Win 7 Pro	Vista Business or Win 7 Pro	Vista Business or Win 7 Pro
VMS Pre-installed	Optional Free Installation	Optional Free Installation	Optional Free Installation	Optional Free Installation
OnSSi VMS	Matrix Switcher	Matrix Client	Matrix Viewer	Not Applicable





Proudly Made in the U.S.A.



Photos of systems are NOT to scale



Category	Storage	Storage	Storage	Storage	Storage	Storage
AGS Model	Citadel 3 Combo	Citadel 4 Combo	Citadel SAS16	Citadel SAS24	Citadel SAS48	Citadel MAX
Product ID	COMBO3	COMBO4	SAS16	SAS24	SAS48	FC60
Base Part Number	AGS-COMBO3-X-0Y-RZ	AGS-COMBO4-X-0Y-RZ	AGS-SAS16-X-YY-RZ	AGS-SAS24-X-YY-RZ	AGS-SAS48-X-YY-RZ	Call for Assistance
Throughput	3 Gbps max	3 Gbps max	6 Gbps SAS	6 Gbps SAS	6 Gbps SAS	Dual 4 x 2 Gbps FC
Chassis Type	SFF	SFF	3U Rack mount	5U Rack mount	8U Rack mount	48U Cabinet
Power Supplies	A/C Adaptor	A/C Adaptor	650W 2+1 Hot Swap Redundant	950W 2+1 Hot Swap Redundant	950W 3+1 Hot Swap Redundant	3900W per drawer
Dimensions	Tower	Tower	5.4"H x 19"W x 28"D	8.25"H x 19"W x 28"D	14"H x 19"W x 28"D	86.8"H x 28"W x 42" D
Interconnect	USB2, 1GE, eSATA	USB2, 1GE, eSATA	iSCSI, SAS or FC Expander	iSCSI, SAS or FC Expander	iSCSI, SAS or FC Expander	Fibre-Channel
Ports	1-USB, 1-1GE, 1-eSATA	4-USB, 2-1GE, 2-eSATA	external HBA & JBOD Interface	external HBA & JBOD Interface	external HBA & JBOD Interface	external SAN, NAS
Serial Port	N/A	N/A	1 Management port	1 Management port	2 Management port	Management controller
Management	Display & Web Browser	Display & Web Browser	Serial	Serial	Serial	Java GUI
Max Storage (TB)	6	8	32	48	96	60 TB to 1,200 TB
Hot Swap Bay	N/A	N/A	16	24	48	60 per drawer
RAID	0, 1, 5, 6, 10, JBOD	0, 1, 5, 6, 10, JBOD	0, 1, 5, 6 + Hot Spare	0, 1, 5, 6 + Hot Spare	0, 1, 5, 6 + Hot Spare	5 in five HDD cluster
Warranty	Four-year limited	Four-year limited	Four-year limited	Four-year limited	Four-year limited	Three-year limited

Part Number System: base part number (red letters get replaced)

- X = 1 for 1TB Drive or 2 for 2TB Drive
- Y = The total number of drives: 1, 2 etc.. (upto the Maxium Drive Count)
- R = 1 for RAID1, 5 for RAID5, 6 for RAID6, N for No RAID
- Z = H for Hot Spare or N for No Hot Spare

Example;

Reliance 6; Base part number is AGS-HD10X-060Y-RZ

Purchase Order: **AGS-HD102-0605-5H** with optional RM kit.

This will configure a Reliance 6 HD100 with 5 - 2TB hard drives in a RAID5 including a Hot Spare. Total drive count is 5. Plus an optional rack mount kit. (If you are using this as a tower then no optional RM kit is required.)

RAID & Hot Spare Examples

- NN = No RAID - No Hot Spare
- RAID 5 (adds one (1) additional drive to your required storage count)
- RAID 5 + Hot Spare (adds two (2) additional drives to your required storage count)
- RAID 6 (adds two (2) additional drives to your required storage count)
- RAID 6 + Hot Spare (adds three (3) additional drives to your required storage count)

For further assistance please contact one of our sales representatives. Visit our website www.accessgate.net for their contact information.

